TECHNICAL ASSOCIATES INFRAPOWER LIMITED

CIN NO.: L45208WB1984PLC216047

20A, British Indian Street, 1st Floor Kolkata - 700 069, Telefax : 033-2230 7617 Website : www.techassoinfra.com E-mail : technicalassociatesinfra@gmail.com

Date: 13.04.2023

To,
Head-Listing & Compliance
Metropolitan Stock Exchange of India Ltd (MSEI)
Building A, Unit 205A, 2ND Floor,
Piramal Agastya Corporate Park,
L.B.S Road Kurla West Mumbai – 400070

Ref: Technical Associates Infrapower Limited.

Dear Sir/Madam,

<u>Sub: - Structural Digital Database (SDD) Compliance Certificate under SEBI (PIT) Regulations</u> for the Quarter ended 31st March, 2023

Pursuant to the provisions of Regulation 3(5) and 3(6) of the Securities and Exchange Board of India (Prohibition of Insider Trading) Regulations, 2015 (PIT Regulations), we are enclosing herewith the Structural Digital Database (SDD) Compliance Certificate in the specified format for the quarter ended 31st March, 2023. You are requested to take the same on records.

Thanking you,

For Technical Associates Infrapower Limited

Sd/(Anju Rathi)
Company Secretary & Compliance officer



TECHNICAL ASSOCIATES INFRAPOWER LIMITED

CIN NO.: L45208WB1984PLC216047

20A, British Indian Street, 1st Floor Kolkata - 700 069, Telefax : 033-2230 7617 Website : www.techassoinfra.com E-mail : technicalassociatesinfra@gmail.com

COMPLIANCE CERTIFICATE FOR THE QUARTER ENDED 31.03.2023

(Pursuant to Securities and Exchange Board of India (Prohibition of Insider Trading) Regulations, 2015)

- I, <u>Anju Rathi</u>, Compliance Officer of <u>Technical Associates Infrapower Limited</u> am aware of the compliance requirement of Structured Digital Database (SDD) pursuant to provisions of Regulation 3(5) and 3(6) of <u>Securities</u> and <u>Exchange Board of India</u> (Prohibition of Insider Trading) Regulations, 2015 (PIT Regulations) and I certify that
- 1. the Company has a Structured Digital Database in place
- 2. Control exists as to who can access the SDD
- 3. all the UPSI disseminated in the previous quarter have been captured in the Database
- 4. the system has captured nature of UPSI along with date and time
- 5. the database has been maintained internally and an audit trail is maintained
- 6. the database is non-tamperable and has the capability to maintain the records for 8 years.

I also confirm that the Company was required to capture 1 number of events during the quarter ended and has captured 1 number of the said required events.

I would like to confirm that there were no non-compliance(s) observed in the previous quarter.

For Technical Associates Infrapower Limited

(Anju Rathi) Company Secretary & Compliance Officer TA TA TANK

Dated: 13.04.2023